

Kasetsart IPv6 Address

```
C:\Documents and Settings\Moose> ipconfig /all
```

Windows IP Configuration

```
Host Name . . . . . : moose-a083b5288
Primary Dns Suffix . . . . . :
Node Type . . . . . : Unknown
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : ku.ac.th
```

Ethernet adapter Wireless Network Connection:

```
Connection-specific DNS Suffix . : ku.ac.th
Description . . . . . : ORiNOCO PC Card (5 volt)
Physical Address. . . . . : 00-02-2D-B6-40-A3
Dhcp Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
```

Kasetart IPv6 Address

Nectec : local only

Uninet : Route


```
IP Address. . . . . : 158.108.133.73
Subnet Mask . . . . . : 255.255.248.0
IP Address. . . . . : 2001:f00:2003:1164:b8e0:fc4f:9259:58a1
IP Address. . . . . : 2001:f00:2003:1164:202:2dff:feb6:40a3
IP Address. . . . . : 2001:3c8:1303:1164:b8e0:fc4f:9259:58a1
IP Address. . . . . : 2001:3c8:1303:1164:202:2dff:feb6:40a3
IP Address. . . . . : fe80::202:2dff:feb6:40a3%4
Default Gateway . . . . . : 158.108.128.1
                               fe80::215:c7ff:fee3:e000%4
DHCP Server . . . . . : 158.108.2.70
DNS Servers . . . . . : 158.108.2.67
                               158.108.2.70
                               158.108.4.249
                               fec0:0:0:ffff::1%2
                               fec0:0:0:ffff::2%2
                               fec0:0:0:ffff::3%2
Lease Obtained. . . . . : Thursday, December 21, 2006 8:28:11AM
Lease Expires . . . . . : Thursday, December 21, 2006 10:28:11AM
```

Link Local Address

Zone_ID
Address%Zone_ID

Kasetstart IPv6 Address

202:2dff:fe**b6:40a3**



Kasetart IPv6 Address

Ethernet adapter MyTap:

Media State : Media disconnected
Description : TAP-Win32 Adapter V8
Physical Address. : 00-FF-21-8D-4A-E5

Ethernet adapter Local Area Connection:

Media State : Media disconnected
Description : VIA Rhine II Fast Ethernet Adapter
Physical Address. : 00-40-45-1C-1E-EC

Kasetart IPv6 Address

Tunnel adapter Teredo Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . :
Description : Teredo Tunneling Pseudo-Interface
Physical Address. : FF-FF-FF-FF-FF-FF-FF-FF
Dhcp Enabled. : No
IP Address. : fe80::5445:5245:444f%7
Default Gateway :
NetBIOS over Tcpi. : Disabled

Kasetart IPv6 Address

Tunnel adapter Automatic Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . : ku.ac.th

Description : Automatic Tunneling Pseudo-Interface

Physical Address. : 9E-6C-85-49

Dhcp Enabled. : No

IP Address. : fe80::5efe:158.108.133.73%2

Default Gateway :

DNS Servers : fec0:0:0:ffff::1%2

fec0:0:0:ffff::2%2

fec0:0:0:ffff::3%2

NetBIOS over Tcpi. : Disabled

IPv6 Address Allocation

	Organization	APNIC prefixes	Services
1	NECTEC/ThaiSarn	2001:f00::/32	Native, dual stack, 6to4 relay, IPv6 tunnel broker
2	UniNet	2001:3c8::/32	Dual stack
3	CAT Telecom	2001:c38::/32	Native, 6to4 tunnel
4	TOT	2001:ec0::/32	Testing, plan for commercial DSLv6
5	Internet Thailand	2001:c00::/32	Dual stack ready, few customers
6	CS-Loxinfo	2404:b0::/32	Testing
7	True Internet	2001:fb0::/32	Testing, 6to4 relay
8	AIS	2001:44c8::/32	Testing
	Organization	APNIC prefixes	Services