

LECTURE #9

BULK SYSTEM – NETWORK OF Q

204528

Queueing Theory and
Applications in Networks

Assoc. Prof. Anan Phonphoem, Ph.D. (รศ.ดร. อนันต์ พลเพิ่ม)

Computer Engineering Department, Kasetsart
University

Outline

2

- Bulk System
 - Bulk arrival
 - Bulk service
- Parallel and serial servers
- Network of Queue

3

Bulk System


Bulk Arrival Systems

4

- The arrival of r customers
- Each of r customers requires only a single stage of service
- M/M/1 with bulk arrivals of size r

Bulk Arrival State diagram

5



- Same as $M/E_r/1$
- Differences:
 - For $M/E_r/1$
 - State variable = total # of service stage yet to be completed
 - For Bulk Arrival
 - State variable = the number of customers in the system

Bulk Arrival Systems

6

- The result from $M/E_r/1$

$$P(z) = \frac{r\mu(1 - \rho)(1 - z)}{r\mu + \lambda z^{r+1} - (\lambda + r\mu)z}$$

$$p_j = (1 - \rho) \sum_{i=1}^r A_i (z_i)^{-j} \quad j = 1, 2, \dots, r$$

Bulk Arrival Systems

7


- Previous is fixed size bulk arrival systems
- For general random size bulk arrival systems
- Example:
 - Family arrival for a dentist
- Define

$$g_i = P[\text{bulk size is } i]$$

λ = the arrival rate of bulks

Bulk Arrival (general) State diagram

8




Bulk Service Systems

9

- When server is free, it will accept “bulk” of r customers from the queue
- The service time for the group is exponential with μ
- If less than r customers in the queue, the server will wait until r customers
- Example:
 - Shared taxi, Shared Van

Bulk Service Systems

10



- Same as $E_r/M/1$
- Difference:
 - For $E_r/M/1$
 - State variable = total # of service stage yet to be completed
 - For Bulk Service
 - State variable = the number of customers in the system

Bulk Service Systems

11

- The result from $E_r/M/1$

$$P_j = \begin{cases} \frac{1}{r}(1 - z_0^{-j-1}) & 0 \leq j < r \\ \rho(z_0 - 1)z_0^{r-j-1} & j \geq r \end{cases}$$


Bulk Service Systems (no idle)

12

- Previously, the server is idle if less than r customers
- For system that, if available, accept r customers
- Otherwise, it will accept less than r customers


Bulk Service (no idle) State diagram

13



Parallel Servers

14




Service Facility

- α_i = Probability to select path i
- $\alpha_1 + \alpha_2 = 1$
- Only one customer in the service facility
- $b(x) = \alpha_1 \mu_1 e^{-\mu_1 x} + \alpha_2 \mu_2 e^{-\mu_2 x} \quad x \geq 0$

R-Stage Parallel Servers (H_R)

15



Service Facility

$$\sum_{i=1}^R \alpha_i = 1$$


$$b(x) = \sum_{i=1}^R \alpha_i \mu_i e^{-\mu_i x} \quad x \geq 0$$

The pdf is called
“Hyperexponential”
distribution (H_R)

Serial Servers

16

- The system with faster exponential stages in series
→ decreases the variability of service time



Service Facility


- For Mean and Variance of the service time

$$E[x] = 2E[y] = \frac{1}{\mu}$$
$$\sigma_b^2 = \sigma_h^2 + \sigma_h^2 = \frac{1}{2\mu^2}$$

Parallel Servers

17

- For the parallel system
→ increases the variability of the service time



18

Networks of Queues

Outline

19

- Network of Queues
- Burke's Theorem
- Application Example 1
- Jackson's Theorem
- Cyclic Network
- Multidimensional Markov Chains

Networks of Queues


20

- Multiple-node systems
- Network of nodes =
“Customers enter system at various points, queue for service, then proceed to other nodes”
- Topology structure is important

Tandem network



21

- For a network of k nodes
- Customers depart from node i will immediately enter node $i + 1$
- Interdeparture times from node i
= Interarrival times for node $i + 1$



Two-Tandem Network

22



- Assumption:
 - The arrival only enters node 1
 - The arrival is Poisson process with rate λ
 - Each node is exponential server rate μ

Two-Tandem Network

23

- Therefore,
 - M/M/1 system
- Find
 - Interarrival time of Node 2 (Interdeparture time of node 1)
- Let
 - $d(t)$ = the pdf of the interdeparture process of node 1
 - $D^*(s)$ = Laplace transform of $d(t)$

Two-Tandem Network

24

- Two cases of Interdeparture Time:
 - A customer enters node 1
 - the next customer departs as exactly service time
 - No customer enters node 1
 - the next customer departs has to wait for the arrival and service time of the new customer
 - (Both independent → Convolution)
- $D^*(s)|\text{non-empty @ node 1} = B^*(s)$
- $D^*(s)|\text{empty @ node 1} = \frac{\lambda}{s + \lambda} B^*(s)$

Two-Tandem Network

25

- For exponential server

$$B^*(s) = \frac{\mu}{s + \mu}$$

- For Interdeparture Time

$$D^*(s) = \rho D^*(s)|\text{non-empty@node1} + (1 - \rho) D^*(s)|\text{empty@node1}$$

$$\begin{aligned} &= \rho \left(\frac{\mu}{s + \mu} \right) + (1 - \rho) \left(\frac{\lambda}{s + \lambda} \right) \left(\frac{\mu}{s + \mu} \right) \\ &= \left(\frac{\lambda}{s + \lambda} \right) \end{aligned}$$

Two-Tandem Network

26

- For Interdeparture Time

$$D^*(s) = \left(\frac{\lambda}{s + \lambda} \right)$$

$$D(t) = 1 - e^{-\lambda t} \quad t \geq 0$$

- **Note:** Interdeparture time = exponential distribution with the same parameter as Interarrival time

Burke's Theorem

27

- “A **Poisson** process driving an **exponential** server generates a **Poisson** process for **departures**”
- “The steady-state **output** of M/M/m with λ and service-time with μ for each m channels is a **Poisson process at rate λ** ”

Application Example 1

(from *Gross: Fundamentals of Queueing Theory* 3rd Edition)

28

- A department store
- Instead of check-out counter, the new design is to provide a check-out lounge
- After complete the shopping, enter the lounge
- If all checkers are busy, receive the number and take a seat
- The next one will be called in sequence
- There is No limit space (even during peak period) on both Shopping area and Waiting area (lounge)

Application Example 1

29

- During peak hour
 - Customers arrive as a Poisson process rate 40/Hr
 - Each customer take $\frac{3}{4}$ Hr for shopping
- The checkout time at the checker is approximately exponential distributed with a mean 4 min. (there are a bagger for each counter checkout)


Application Example 1

30

- The manager wants to know :
- **Q1:** What is the minimum number of checkout counters during the peak period?
- **Q2:** If it is decided to add one more than the minimum number of counters,
 - What is the average waiting time in the lounge?
 - On average, how many people will be in the lounge?
 - On average, how many people will be in the department store?

Drawing a Scenario


31



Application Example 1

32

- Modeling
 - Two-Tandem Network



- Define the first node
 - Shopping area
 - It is self-service
 - Arrival is Poisson
 - ➔ $M/M/\infty$ with $\lambda = 40$ and $\mu = 4/3$

Application Example 1

33

- Define the second node
 - At Lounge
 - Arrival is the interdeparture of the node 1 = Poisson process
 - Each counter mean service time = 4 min.
- M/M/c
- with $\lambda = 40$ and service rate = $c\mu$

Application Example 1

34

- Q1: What is the minimum number of checkout counters during the peak period?
- For steady-state
 - $c\mu > \lambda$
 - So, $c > \lambda/\mu \rightarrow c > 40/15 = 2.67$
 - $c \rightarrow 3$ = The number of check-out counters
 - The system becomes **M/M/3**

Application Example 1

35

- Q2: If it is decided to add one more than the minimum number of counters
- The system becomes
 - $M/M/4/\infty$
 - With $\lambda = 40$ and $\mu = 15$
 - $\rho = 40/(4*15) = 2/3$

Application Example 1

36

- M/M/4/∞

$$p_0 = \left(\sum_{k=0}^{m-1} \frac{(m\rho)^k}{k!} + \left(\frac{(m\rho)^m}{m!} \left(\frac{1}{1-\rho} \right) \right) \right)^{-1}$$

$$p_0 = \left(\sum_{k=0}^3 \frac{(4*2/3)^k}{k!} + \left(\frac{(4*2/3)^4}{4!} \left(\frac{1}{1-2/3} \right) \right) \right)^{-1}$$

$$= 0.06$$

Application Example 1

37

- The Expected queue size, N_q (for $k \geq m$)

$$\begin{aligned} N_q &= \sum_{k=m+1}^{\infty} (k-m) p_k = \sum_{k=m+1}^{\infty} (k-m) \frac{m^m \rho^k}{m!} p_0 \\ &= p_0 \frac{m^m \rho^{m+1}}{m! (1-\rho)^2} \\ &= 0.06 \frac{4^4 (2/3)^{4+1}}{4! (1-2/3)^2} = 0.759 \end{aligned}$$

Application Example 1

38

- The average waiting time in the lounge, W_q
- $N_q = \lambda W_q$
→ $W_q = N_q / \lambda = 0.759/40$
 $= 0.019 \text{ Hr} = 1.14 \text{ min.}$
- The average number of customer in node 2, N_2
- $N_2 = \lambda W_2 = \lambda (W_q + 1/\mu) = 40 (0.019 + 1/15)$
 $= 3.43$

Application Example 1

39

- The total number of customer in the system,

$$N = N_1 + N_2$$

- $N_1 = \lambda W_1 = 40/(4/3) = 30$ (M/M/ ∞)

- $N = 30 + 3.43 = 33.43$

Jackson's Theorem

40

- For N nodes
- i^{th} node consists of m_i exponential servers
- With parameter $= \mu_i$
- The i^{th} node receives arrivals from outside with Poisson rate $= \gamma_i$
 - If $N = 1 \rightarrow M/M/m$

Jackson's Theorem

41

- After leave the i^{th} node, a customer proceeds to the j^{th} node with prob. = r_{ij} , $r_{ij} > 0$
- The total average arrival rate of customers at a given node = λ_i


λ_i = arrivals from outside + inside

$$\lambda_i = \gamma_i + \sum_{j=1}^N \lambda_j r_{ji} \quad i = 1, 2, \dots, N$$

Jackson's Theorem

42

<http://perfdynamics.blogspot.com/2010/05/jacksons-theorem-for-cloud.html>



- In steady state

- The total departure rate from node k is the same as its local throughput X_k

$$\lambda_k = \lambda_k^{\text{outer}} + \sum_k P_{jk} \lambda_j \equiv X_k$$

Jackson's Theorem

43

- To be ergodic Markov chains $\rightarrow \lambda_i < m_i \mu_i$
- Jackson shown that
 - Each node behaves as independent M/M/m with a Poisson rate λ_i
- The Joint distribution for all nodes becomes
$$p(k_1, k_2, \dots, k_N) = p_1(k_1) p_2(k_2) \dots p_N(k_N)$$
- $p_i(k_i) =$ solution of M/M/m

Jackson's Theorem

44

- From the λ_i

$$\lambda_i = \gamma_i + \sum_{j=1}^N \lambda_j r_{ji} \quad i = 1, 2, \dots, N$$

- Can rewrite in the vector-matrix form


$$\lambda = \gamma + \lambda R$$

- $R =$ Routing matrix

Communications Network

45

http://www.perfdynamics.com/Tools/PDQpython.html#tth_sEc4.2



global call rate is $\lambda = 0.50$

Traffic equations:

$$\lambda_1 = \lambda + 0.2 \lambda_3 \quad (1)$$

$$\lambda_2 = 0.5 \lambda_1 \quad (2)$$

$$\lambda_3 = 0.5 \lambda_1 + 0.8 \lambda_2 \quad (3)$$

Statistic	PyDQ
Avg. queue length at Comp1	1.5625
Avg. queue length at Comp2	1.5625
Avg. queue length at Comp3	1.2162
Avg. number in the system	4.3412
Average response time	8.6824
Average service time	1.1994
Average throughput	0.5000


PDQ (*Pretty Damn Quick*) is open source software associated with the books *Analyzing Computer System Performance with Perl::PDQ* (Springer 2005) <http://www.perfdynamics.com/Tools/PDQ.html>

Anan Phonphoem

Dept. of Computer Engineering, Kasetsart University, Thailand


Closed Cyclic Network

46



- $N =$ The number of node = 3
- $K =$ Customers in the system = 2
- Service rate = μ_i
- $r_{13} = r_{32} = r_{21} = 1$; otherwise 0

State Transition



47


- Let $k = \#$ customers in node i
- State description (k_1, k_2, k_3)
- $k_1 + k_2 + k_3 = K = 2$
- How many states can it be?

$$\binom{N+K-1}{N-1} = \binom{3+2-1=4}{3-1=2} = 6$$


- Can you list them ?

(002) (020) (200) (011) (101) (110)

State transition



48



Global Balance Eq.

$$\mu_1 p(2,0,0) = \mu_2 p(1,1,0)$$

$$\mu_2 p(0,2,0) = \mu_3 p(0,1,1)$$

$$\mu_3 p(0,0,2) = \mu_1 p(1,0,1)$$


$$(\mu_1 + \mu_2) p(1,1,0) = \mu_2 p(0,2,0) + \mu_3 p(1,0,1)$$

$$(\mu_2 + \mu_3) p(0,1,1) = \mu_3 p(0,0,2) + \mu_1 p(1,1,0)$$

$$(\mu_1 + \mu_3) p(1,0,1) = \mu_1 p(2,0,0) + \mu_2 p(0,1,1)$$

$$p(0,0,2) + p(0,2,0) + p(2,0,0) + p(0,1,1) + p(1,0,1) + p(1,1,0) = 1$$

$$p(2,0,0) = \left[1 + \frac{\mu_1}{\mu_3} + \frac{\mu_1}{\mu_2} + \frac{(\mu_1)^2}{\mu_2 \mu_3} + \left(\frac{\mu_1}{\mu_3} \right)^2 \left(\frac{\mu_1}{\mu_2} \right)^2 \right]^{-1}$$



Multidimensional Markov Chains

(from “Data Network”, Bertsekas & Gallager)

50

- Normally, only a single type of customer
- How about many classes of customers?
 - Each with different statistical characteristics
 - Cannot lump together
- Multidimensional Markov Chains

Example :

Two session classes in a circuit switching system

51

- A transmission media consists of m independent circuits with equal capacity
- 2 sessions arrive with Poisson rate λ_1 and λ_2
- A session will be blocked if all circuits busy
- The sessions holding times are exponential with means $1/\mu_1$ and $1/\mu_2$
- **Find the steady-state blocking probability**

Example :


Two session classes in a circuit switching system

52

- If $\mu_1 = \mu_2$
 - Two sessions are the same
 - Can be lumped and modeled as M/M/m/m
 - With arrival rate $(\lambda_1 + \lambda_2)$
 - # of states = total number of busy circuits
- If $\mu_1 \neq \mu_2$
 - Total number of busy circuits cannot specify each behavior
 - Needs **Two-dimensional state** (n_1, n_2)
 - $n_i = \#$ of circuits used by each type **i**

Transition Probability diagram

53



We can find a closed-form expression from the global balance equation.

Homework

54

- The insurance company
- Three-node telephone system
- Calls coming into the toll-free number = Poisson with rate 35/Hr
- The caller has 2 options
 - Press 0 for claims service
 - Press 1 for Policy service

Homework

- Each caller will listening and making decision with exponential mean 25 sec.
- Only one call at a time will be proceeded
- Others will hear the nice background and how important the call is
- 60% of calls go to claims, the reminder goes to the policy

Homework

- The claims processing node has 3 parallel servers, each service is exponential with mean 6 min.
- The policy service node has 5 parallel servers, each service is exponential with mean 20 min.
- All buffers in front of the nodes can hold unlimited
- About 1% of customers finishing the claims then go on to the policy service
- About 2% of customers finishing the policy services go on to the claims service

Homework

- What is the average queue sizes in front of each node ?
- What is the total average time a customer spends in the system?

Assignment

58

- 10 % of grade
- Find a paper that apply/implement/analysis using the Queueing System
- Prepare a summarized report (3 pages of A4-12pt)
 - The goal of the paper
 - The queueing techniques used in the paper
 - The explanation of the queueing system
 - Etc.
- Prepare a presentation for 15 min. / Q&A 10 min.